
## 6mm gray hard dark grey coated reflective glass

6mm European gray reflective float glass, which is an on-line heat reflective hard coated glass. The reaction gas is prepared by chemical vapor deposition (CVD) technology, and is fully pyrolyzed on theinner surface of the float bath under special conditions such as a mesatemperature field, a special atmosphere, and a clean glass surface, and then the polysilicon coating is continuously and uniformly deposited. Forms highquality coated glass products with uniformity, robustness, optical properties and chemical resistance. Due to its suitable transmission and high reflectivity, it is ideal for modern architecture.



## Feature

• 6mm European gray hard coated <u>reflective glass</u> features lighting, energy saving, environmental protection and other decorative multifunctional features.

• The 6mm light gray reflective solar control glass reflects part of the incidentsolar radiation, which limits heat penetration into the building and may reduce use of HVAC.

• 6mm <u>smoky gray heat reflective glass</u> allows the right amount of natural light to enter the building while reducing glare and saving on curtains and other indoor shading equipment.

Color	Thickness	Visible Light Transmittanc	Visible Light Reflectance		Direct Light Transmittanc e	Direct Light Reflectance	Total Solar Transmittanc e	Shading Coeffcient (SC)	RHG	K Value (Sunmer Daytime)	K Value (Winter Night)
Euro Bronze	5mm	25.78%	16.60%	2.73%	35.79%	14.70%	47.73%	0.54	0.505	5.272	5.843
	ճառ	20.45%	16.32%	2.03%	29.70%	14.85%	43.08%	0.48	0.463	5.243	5.808
Euro Grey	5mm	24.96%	15.62%	3.85%	32.98%	14.02%	45.76%	0.51	0.488	5.272	5.843
	ճռո	21.26%	15.36%	3.05%	28.01%	13.37%	42.15%	0.47	0.457	5.243	5.808
Dark Grey	5mm	24.93%	17.13%	4.68%	32.67%	15.22%	45.24%	0.51	0.482	5.272	5.843
	6ກ.ກ.	20.82%	14.09%	3.50%	27.39%	12.71%	41.83%	0.47	0.455	5.243	5.808
Light Blue	5mm	28.47%	31.89%	4.39%	30.29%	22.01%	41.80%	0.47	0.445	5.256	5.824
	6nn	25.33%	31.63%	3.54%	28.14%	21.17%	38.85%	0.44	0.419	5.243	5,808
Dark Blue	ຽກກ	23.35%	13.46%	12.07%	43.49%	18.44%	52.68%	0.59	0.548	5.272	5.843
	бял	18.79%	11.79%	10.23%	38.68%	17.19%	49.32%	0.55	0.517	5.243	5.808
F-Green	5mm	28.40%	35.11%	3.13%	24.11%	19.91%	37.61%	0.42	0.409	5.272	5.843
	блл	26.43%	34.12%	2.76%	20.76%	18.66%	35.37%	0.40	0.39	5.243	5.808
Dark Green	5mm	27.31%	26.52%	4.36%	28.14%	16.63%	41.46%	0.47	0.446	5.272	5.843
	блл	25.40%	24.35%	4.06%	26.15%	15.15%	40.30%	0.45	0.438	5.243	5.808
Silver White	5mm	50.58%	34.10%	13.87%	58.00%	25.85%	61.89%	0.70	0.625	5.272	5.843
	бял	42.75%	38.11%	9.47%	52.31%	28.29%	56.99%	0.64	0.578	5.243	5.808

## **Product specification**

• Available sizes: 2140x3300mm, 2250x3300mm, 2140x1830mm, 2440x3300mm, and sometimes 1830x2440mm, can be produced in any custom cut size.

•Optional processing: custom size 6mm light gray architectural reflective glass,6mm European gray reflective tempered glass, 12.38mm gray reflective float laminated glass, 12.76mm 13.14mm 13.52mm safety ash gray reflective tempered laminated glass, 6 + 12A + 6mm high Performance gray reflective insulating glass.

## Application

Thanks to its excellent transmission and reflection properties, 6mm energy-saving European-style grey reflective glassis widely used in windows, balconies, curtain walls, roofs, canopies and other buildings.