

8.76 442

8.76 4 0.76 PVB



8.76 442

8.76 442

8.76 442 PVB tough ness

8.76 442

8.76 442 PVB

8.76 442

8.76 442 perfect

XXXXXXXXXX XXXXXXXXXXXX XXXXXX XXXXX XXXXX

XXXXXXXXXX XXXXXXXXXXXX XXXXXXXXXXXX XXXXXXXXXXXX XXXXXXXXXXXX XXXXXX XXXX XXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXX XXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXX XXXXX XX XXXXXXXXXXXXXXX XXXXXXXXXXX XXXXX XXXXX

Thickness	Visible Light Transmittance	Visible Light Reflectivity	Solar Radiant Heat				Shading Coefficient			U Value (W/m ² L)	Sound Insulation		UV Penetrate
			Direct Penetrate	Reflect	Absorb	Total Penetrate	Short Wave	Long Wave	Total		Rm(dB)	RW(dB)	
3mm	92%	8%	91%	8%	10%	91%	1.05	0.01	1.05	5.80	26.00	30.00	85.00
3.2mm	92%	8%	91%	8%	20%	91%	1.03	0.01	1.05	5.80	26.00	30.00	84.00
4mm	92%	8%	90%	8%	20%	91%	1.03	0.01	1.05	5.80	27.00	30.00	82.00
5mm	92%	8%	90%	8%	20%	90%	1.03	0.01	1.03	5.80	29.00	32.00	81.00
6mm	91%	8%	89%	8%	30%	90%	1.02	0.01	1.03	5.70	29.00	32.00	79.00
8mm	91%	8%	88%	8%	40%	89%	1.01	0.01	1.02	5.70	31.00	34.00	76.00
10mm	91%	8%	88%	8%	40%	89%	1.01	0.02	1.02	5.60	33.00	36.00	74.00
12mm	91%	8%	87%	8%	50%	88%	1.00	0.02	1.01	5.50	34.00	37.00	72.00
15mm	90%	8%	83%	8%	60%	87%	0.99	0.02	1.00	5.50	35.00	38.00	71.00
19mm	90%	8%	84%	8%	70%	86%	0.97	0.02	0.99	5.50	37.00	40.00	70.00

Only for reference

XXXXX: XXXXX XXXXXXX XXXXX XXXXX 8 XXXXX XXXXXXXXXXXX XXXXXXXXXXXX XXXXXXX XXXXXXX XXXXX XXXXXXXXXXXX PVB XXXXXXX

XXXXX: XXXXXXXXXXXX XXXXX: 3300 * 13000 XXXXX, XXXXXXXXXXXX XXXXX: 300 * 300 XXXXX, XX XXXXXXX XXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX
XXXX XXXXX

XXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXXXXXXXXX XXXXX XXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXX XXXXX XXXXX XXXXXXXXXXXXXXXXXXXX XXXXX, XXXXXXX XX,
XXXX XXXX, XXXXXXX XXXXX XXXXXXXXXXXX XXXXX XXXXX temp

8.76 XXXXX XXXXXXXXXXXX XXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX XXXX XXXXXXXXXXXXXXXXXXXX

- XXXXX XXXXX XXXXXXX XXXXXXXXXXXX XXXXXXX, XXXXXXXXXXXXXXXXXXXX XXXXXXX, XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXXXX
- XXXXXXX XXXXXXXXXXXX XXXXXXX, XXXXX XXXX XXXXXXX, XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXX
- XXXXXXX XXXXXXXXXXXXXXXXXXXX, XXXXXXX, XXXXXXXXXXXXXXX, XXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX
- XXXXXXX.

KXG

