

[illegible][illegible]

KXG □□□□ □□□□□□□□ □□□□ □□□□ □□□ □□ □□□□□□□□?

1. 音源の音圧レベル 80db 40db の音源の音の差
2. 音の音圧レベルの差が 50 dB の音源の音の差
3. UV 音源の音の音圧レベルの差が degenerating の音
4. 音の音圧レベルの差が 50 dB の音源の音の差
5. 音の音圧レベルの差が 3 dB の音源の音の差

[illegible]

1.

0000000

2. 0000-000000 000-0 00000 000000000 000-000000 000-0 00000 0000000 00000000 000 0000 0000 0000 000000 0000 0000 0000, 000 0000 0000000000 000000000, 000 000000 000-0000 000000 00000000 0000000 00 000000, 00 0000000000000 00000000 00000000 0000 0000000 0000 000000 0000000 0000 000000
3. 000-0000000 000-0 00000000 000-0000000 00000-0-00 0000 000000 000 000000000000 000000 0000, 00 0000000 00000000 000000000000 000 000000 0000 0000 000 0000000 000000000 000 00000 00000000000 00000000 00000000000 0 00000000 0000000000 000000 000 0000000 000000 000, 000 00000 0000000000 000 00 0000000 00, 00000 00000000000000 00000000 000 000000000000 0 000 00000000000000, 000000 00000000 000 000



0000000 000000 000000000 000000 000000000 000000000000000

000000 000	4 mm + 9A + 4 mm, 4 + 12A + 4 mm, 4 + 15A + 4 mm, 5 mm + 12A + 5 mm, 6 mm + 12A + 6 mm, 8 mm + 12A + 8 mm 10 + 15A + 10 mm 12 + 16A + 12 mm, 00000000
0000000000000000 000000000	6 □, 9 □, 1□ □, 15 □ / 16 □ (1/4 ", 11/32", 1/2 ", 5/8")
0000	0000 0000000 00000000000 000 3300x13000 mm, 00000000000 0000 000000 000 00
000000 000000 0000	000000000 IGU 00 0000 00000000 0000000000 600 mm 000000000, 0000000000 000 0000000000 2440 mm, 0000000000 00000000 0000000000 5500 mm
00	000000000, 000 000000000, 0000000000, 0000, 0000, 000, 00000000
000000 0000	0000000000 0000000 000000 000000 000000000, 000 000000000 0000000 000000000000 000 000000 000000000, 0000 0000000000000 000 000000 000000000, 000000 0 000000000 000 000000 000000, 00000000000 0000000 000 000000 000000000, tinted 0000000 000000 000000 000000000, 00000000000000 000000 000000 000000000, 000000000



