


Compare normal glass with toughened glass
钢化玻璃与普通玻璃比较

Toughened principle Surface of glass in compression (> 10,000 psi)
钢化玻璃玻璃在压缩面 (> 10000 psi)

Toughened glass broken into small cubical fragments
high safety human harmless.



Normal glass broken into big and sharp fragments
easy hurt human.



12 mm 钢化玻璃 钢化玻璃 钢化玻璃 钢化玻璃 / 12 mm 钢化玻璃 **framless** 钢化玻璃 钢化玻璃 钢化玻璃

钢化玻璃: 钢化玻璃 3000 * 8000 mm, 钢化玻璃 300 * 300 mm 1
钢化玻璃: 8 mm 10 mm 12 mm 15 mm 19 mm

钢化玻璃: 钢化玻璃, 钢化玻璃, 钢化玻璃, 钢化玻璃, 钢化玻璃

钢化玻璃 钢化玻璃 钢化玻璃 钢化玻璃: 钢化玻璃 钢化玻璃 钢化玻璃, 钢化玻璃 钢化玻璃 钢化玻璃, 钢化玻璃 钢化玻璃 钢化玻璃
钢化玻璃, 钢化玻璃 etched tempered, 钢化玻璃, 钢化玻璃 钢化玻璃 钢化玻璃, 钢化玻璃 钢化玻璃, 钢化玻璃

12 mm 钢化玻璃 钢化玻璃 钢化玻璃 钢化玻璃 钢化玻璃 钢化玻璃 钢化玻璃



□□□□□□



00000000 000 0000 000000

1. 0000 00 000000 00000, 000000 000000 000000 00000
2. 000000 00000, 000000 00000, 0000000000000000 00000
3. 00000 00000, 0000000 00000
4. 000000000000 0000 00000, 00000 00000, 0000000000
5. 0000000000000 00000, 00000000000 00000000000 00000, 000000000 00000
6. 00 eva 00 00000, 00000000 00000000 00000
7. 000000 000000 00000000 0000000 00000
8. 0000000000

