

19 + 2.28 mm + 19 mm SGP 19.19.3 2  
 19 mm + 2.28 mm SGP 19.19.3 2  
 19 mm + 2.28 mm SGP 19.19.3 2



19 mm + 2.28 mm SGP 19.19.3 2  
 19 mm + 2.28 mm SGP 19.19.3 2  
 19 mm + 2.28 mm SGP 19.19.3 2

**19.19.3 2** 19 mm + 2.28 mm SGP 19.19.3 2

- 1 玻璃厚度: 19 mm + 5 mm toughened 玻璃 + 2.28 mm SGP 19.19.3 2
- 2 玻璃尺寸: 玻璃尺寸 3300 \* 13000 mm, 玻璃厚度 150 \* 150 mm
- 3 玻璃重量: 玻璃重量, 玻璃 cutout, 玻璃厚度, 玻璃重量, 玻璃重量



**40.28 mm SGP tempered** 40.28 mm SGP tempered

- 1 玻璃厚度: SGP interlayer 40.28 mm SGP tempered 40.28 mm SGP tempered
- 2 玻璃尺寸: 玻璃尺寸 3300 \* 13000 mm, 玻璃厚度 150 \* 150 mm
- 3 玻璃重量: 玻璃重量, 玻璃 cutout, 玻璃厚度, 玻璃重量, 玻璃重量

1. 19 + 19 mm 5 mm SGP  
 2. 19 + 19 mm 5 mm SGP  
 3. 19 + 19 mm 5 mm SGP  
 4. 19 + 19 mm 5 mm SGP

TÜV (TUV), ANSI Z97.1, AS/NZS 2208



**19 + 19 mm SGP**

19 + 19 mm 5 mm SGP, 19 + 19 + 19 mm 55 mm SGP, 15 + 15 + 15 mm 55 mm SGP, 12 + 12 + 12 mm 55 mm SGP, 10 + 10 + 10 mm 55 mm SGP, 10 + 10 + 10 + 10 mm 55 mm SGP, 12 + 12 + 12 + 12 mm 55 mm SGP, 15 + 15 + 15 + 15 mm 55 mm SGP, 2 mm toughened



