

5 mm-12A-5 mm 5 mm 12 mm 5 mm

5mm +12mm +5 1

1 1 5 + 1 5 11 5 + 1 5 1 5 + 1 5 11 5 1 1 pcs 5 mm 12A




Kunxing 5 mm 12 mm 5 mm

5 mm + 12A + 5 mm

5 mm 12 mm 5 mm



1. 5 + 10 + 5 mm 1 5 + 6A + 5 mm, 5 + 9A + 5 mm, 5 + 16A + 5 mm
2. 5 mm 6 mm 8 mm 10 mm 12 mm 15 mm 19 mm
3. 3030 * 1000 1, 180 * 350 1
4. CEEN AS/NZS ANSI
5. CEEN AS/NZS ANSI



5 mm toughened + 12A + 5 mm glazed

- 1) 5 mm toughened glass, 12A spacer, 5 mm glazed glass
- 2) 5 mm er glass, 12A spacer, 5 mm glazed glass
- 3) 5 mm toughened glass, 12A spacer, 5 mm glazed glass
- 4) 5 mm toughened glass, 12A spacer, 5 mm glazed glass
- 5) 5 mm toughened glass, 12A spacer, 5 mm glazed glass: 5 mm toughened glass, 12A spacer, 5 mm glazed glass
- 6) 5 mm toughened glass, 12A spacer, 5 mm glazed glass
- 7) 5 mm toughened glass, 12A spacer, 5 mm glazed glass
- 8) 5 mm toughened glass, 12A spacer, 5 mm glazed glass



5 + 12A + 5 mm

5 + 12A + 5 mm 1 mm spacer glass
 5 + 12A + 5 mm 1 mm spacer glass

5 + 12A + 5 mm 1 mm spacer glass

5 + 12A + 5 mm 1 mm spacer glass
 5 + 12A + 5 mm 1 mm spacer glass
 5 + 12A + 5 mm 1 mm spacer glass

5 + 12A + 5 mm 鋼板鋼筋 鋼筋板

5 + 12A + 5 mm 鋼板 1 鋼筋 鋼筋 鋼筋板 鋼筋, 鋼筋 鋼筋板鋼筋板 鋼筋板, 鋼筋, 鋼筋板 鋼筋板鋼筋 鋼筋 鋼筋板鋼筋 鋼筋 鋼筋

鋼筋板 鋼 5 mm 1 鋼筋板鋼筋 鋼筋板 鋼筋 + 12 mm 鋼筋 鋼筋板鋼筋 + 5 mm 鋼 鋼 鋼筋板 鋼筋板鋼筋 鋼筋

