





### A Solution for Solving the Solar Heat Gain Coefficient Dilemma

The solar heat gain coefficient (SHGC) is a number that represents the fraction of solar radiation admitted through a window, both transmitted and absorbed, and subsequently released inward. The lower a window's solar heat gain coefficient, the less solar heat it transmits, which therefore leads to greater shading ability. Climates that rely heavily on air conditioning will benefit from a window product that displays a lower SHGC. As shown, the Solarban 60 unit will outperform the standard clear unit by as much as 49%.


#### Summer Solar Heat



Standard clear unit  
Conventional aluminum spacer  
Air Fill  
SHGC – 0.75



Solarban 60 unit  
Intercept spacer  
Argon Gas Fill  
SHGC – 0.38



□□□ □ □□□□□□□□ □□□□ □□□□□□□□□□ □□□□□□□□□□


□□□□□ □□□□□□ □□□□□□ □□□ □ □□□ □□□□;

2. □□□□□ □□ □□□ (□□□ □□□) □□□ □□□□□;
3. □□□□□□□ □□ □□□□□□□;
4. □□□□□□ □□□□□□□□□□□□;

□□□□ □□ □□□□□□ □□□□□□, □□□□□ □□□□□□□□□□

□□□-□ □□□□ □□□□□□□ □□□□□ □□□□□□□□□□□□□□

1. □□□□□□□ □□□□□ □□□□□□□;
2. □□□□□□□ □□□□□□ □□□□□□ □□□□□□;
3. □□□□□□□, □□□□□□□□□□, □□ □□□□ □□□□□□ □□□□□□□;
4. □□□□□□□□□□ □□□□□□□ □□□ □ □□□□□□□□□ □□□□ □□□□□□□□



如何選擇玻璃？請看 Kunxing 玻璃？

[Kunxing 玻璃](#) 玻璃是建築中最重要的組成部分之一。玻璃不僅具有美觀、透光的特點，還具有隔熱、隔音、防盜等優點。Kunxing 玻璃採用優質材料，經過先進工藝生產而成，具有優良的品質和性能。無論是住宅、商業建築還是工業廠房，Kunxing 玻璃都是您的最佳選擇。

如何選擇玻璃？請看 Kunxing 玻璃？



如何選擇玻璃？請看 Kunxing 玻璃？



