[illegible] 5 + 5 [illegible]

[illegible] PVB [illegible]

[illegible]

- [illegible]
- PVB / SGP [illegible]
- [illegible]
- [illegible]
- [illegible]

Shape	Curved
Processing	Polished edge, Drill holes, Cut notches, Silkscreen, Painted, Frosted, Acid etched, etc.
Size	Max:3000*13000mm;Mini:300*300mm;Minimum radius:500mm Max length of arc 1350mm(R<1200, H<2370) 2400mm(R>1200) 3600mm(R>1200 H<2370)
PVB or SGP Color	Clear, Green, Pink, Red, Blue, Bronze, Grey, Milky white ,custom
Glass Color	Clear, Extra Clear, French Green, Dark Green, Ford Blue, Dark Blue, Bronze, Euro Grey etc.
Glass Type	Bulletproof curved laminated glass, Fireproof curved laminated glass, AR curved laminated glass, Wire curved laminated glass, Common curved laminated glass, curved tempered laminated glass, Coated curved laminated glass, Low-E curved laminated glass, Ceramic Pattern Printed/ Silkscreen curved laminated glass, Metal mesh curved laminated glass, Frosted curved laminated glass, etc.
Thickness	5+0.76+5mm, 5+1.52+5mm ,6+0.76+6mm, 8+1.14+8mm, 10+1.52+10mm, etc.

□□□□□

- □□□□□□□□□, skylights □□□ □□□□□ □□□□□□
- □□□□□□ □□□□□ □□□ □□□□□□ □□□□□□
- □□□□□ □□□□□, □□□□□ □□□ □□□□□□□□□□

DEPART / VERTREK
DEPART / VERTREK