

insulating glass unit - a glass unit consisting of two or more glass panes



### insulating glass unit - a glass unit consisting of two or more glass panes?

insulating glass unit - a glass unit consisting of two or more glass panes. The unit is made of two or more glass panes held together by a spacer bar. The spacer bar is filled with a gas, such as argon or krypton, to provide insulation. The unit is used in windows and doors to reduce heat loss and improve energy efficiency.

insulating glass unit - a glass unit consisting of two or more glass panes. The unit is made of two or more glass panes held together by a spacer bar. The spacer bar is filled with a gas, such as argon or krypton, to provide insulation. The unit is used in windows and doors to reduce heat loss and improve energy efficiency. zinc is used in the production of insulating glass units.


### A Solution for Solving the Solar Heat Gain Coefficient Dilemma

The solar heat gain coefficient (SHGC) is a number that represents the fraction of solar radiation admitted through a window, both transmitted and absorbed, and subsequently released inward. The lower a window's solar heat gain coefficient, the less solar heat it transmits, which therefore leads to greater shading ability. Climates that rely heavily on air conditioning will benefit from a window product that displays a lower SHGC. As shown, the Solarban 60 unit will outperform the standard clear unit by as much as 49%.


#### Summer Solar Heat



Standard clear unit  
Conventional aluminum spacer  
Air Fill  
SHGC – 0.75



Solarban 60 unit  
Intercept spacer  
Argon Gas Fill  
SHGC – 0.38




□□□□ □ □□ □□□□□□ □□□□ □□□□□ □□□□□

1. Choose □□□□ E □ □□□□ □□□□ □□□□;
2. Low U □□□□ (K □□□□) □□ □□.
3. □□□□ □□□□ □□□□;
4. □□□□ □□□□ □□□□;
5. Keep □□□ □□ □□□□ □ □□□□ □□□□ □□

□□□□-□ □□□ □□□□ □□□□ □□□□ □□□□□□□□

1. □□□□□□ □□□□ □□□□□;
2. □□□□ □□□□ □□□□□□ □□□□□□
3. □□□□ □ □□□□□ □ □□□ □□□□ □□□□ □□□□□;
4. □□□□ □□□□□□□□ □□□□ □ □□□ □□□□ □ □□□□ □□□□ □□□□ □□



如何選擇玻璃？請看 **Kunxing** 的選擇？

[Kunxing GLASS](#) 提供 E 類安全玻璃，具有優異的抗衝擊性能，能防止玻璃破碎時碎片飛濺，保護人員安全。此外，我們還提供各種規格、厚度的玻璃，滿足不同建築和裝飾需求。歡迎垂詢。

如何選擇 **insulated** 玻璃？請看



如何選擇玻璃？請看

