

Chinese export Low iron tempered glass supplier 5 + 5 mm

Low iron ceramic pattern printed curved glass, made of two pieces of low iron ceramic pattern [printed tempered glass](#) and four PVB film classes. The use of low iron glass to make glass with ceramic motifs, colors and patterns look more realistic and brighter.



Characteristics

- Provides more security than other types of glass.
- Improved audio control due to the ability to detonate sounds of the middle layer of PVB / SGP.
- Safety glass for the chosen thickness.
- Provides greater personal safety after broken because it remains intact on the frame.
- Providing high intrusion resistance of objects, effectively preventing intrusions.

Shape ↵	Curved↵
Processing ↵	Polished edge, Drill holes, Cut notches, Silkscreen, Painted, Frosted, Acid etched, etc.↵
Size ↵	Max:3000*13000mm;Mini:300*300mm;Minimum radius:500mm + Max length of arc 1350mm(R<1200, H<2370) 2400mm(R>1200) 3600mm(R>1200 H<2370)↵
PVB or SGP Color ↵	Clear, Green, Pink, Red, Blue, Bronze, Grey, Milky white ,custom↵
Glass Color ↵	Clear, Extra Clear, French Green, Dark Green, Ford Blue, Dark Blue, Bronze, Euro Grey etc.↵
Glass Type ↵	Bulletproof curved laminated glass, Fireproof curved laminated glass, AR curved laminated glass, Wire curved laminated glass, Common curved laminated glass, curved tempered laminated glass, Coated curved laminated glass, Low-E curved laminated glass, Ceramic Pattern Printed/ Silkscreen curved laminated glass, Metal mesh curved laminated glass, Frosted curved laminated glass, etc.↵
Thickness ↵	5+0.76+5mm, 5+1.52+5mm ,6+0.76+6mm, 8+1.14+8mm, 10+1.52+10mm, etc.↵

Application

- [Windows](#), [Skylights](#) and canopy of trees.
- Outside walls and curtain walls.
- Glass railings, railings and partitions.

