

KXG 12 + 12 + 12 mm SGP translucent



SGP interlayer 12 mm + 12 mm + 12 mm SGP translucent



SGP interlayer 12 mm + 12 mm + 12 mm SGP translucent



SGP 安全玻璃:

规格: 3000 * 8000 mm

厚度: 5 mm 6 mm 8 mm 10 mm 12 mm

SGP (Dupond Sentry Glass Plus): 0.89 mm, 1.52 mm 2.28 mm, 3.0 mm

SGP (Dupond Sentry Glass Plus): 0.89 mm, 1.52 mm 2.28 mm, 3.0 mm

SGP (Dupond Sentry Glass Plus): 0.89 mm, 1.52 mm 2.28 mm, 3.0 mm

SGP (Dupond Sentry Glass Plus): 0.89 mm, 1.52 mm 2.28 mm, 3.0 mm



SGP 安全玻璃:

1. 玻璃的厚度: 玻璃的厚度由SGP (Safety Glass Plus) 的厚度决定, 通常为 5 mm 或 10 mm, 且玻璃的厚度由PVB (Polyvinyl Butyral) 的厚度决定。
2. 玻璃的厚度: 玻璃的厚度由SGP (Safety Glass Plus) 的厚度决定, 通常为 1,5 mm 或 2,28 mm, 且玻璃的厚度由PVB (Polyvinyl Butyral) 的厚度决定。
3. 玻璃的厚度: 玻璃的厚度由SGP (Safety Glass Plus) 的厚度决定, 通常为 1,5 mm 或 2,28 mm, 且玻璃的厚度由PVB (Polyvinyl Butyral) 的厚度决定。
4. 玻璃的厚度: 玻璃的厚度由SGP (Safety Glass Plus) 的厚度决定, 通常为 1,5 mm 或 2,28 mm, 且玻璃的厚度由PVB (Polyvinyl Butyral) 的厚度决定。



玻璃的厚度: **SGP** 玻璃的厚度:

玻璃的厚度: 3000 * 8000 mm

玻璃的厚度: 5 mm 6 mm 8 mm 10 mm 12 mm

玻璃的厚度: 玻璃的厚度由SGP (Safety Glass Plus) 的厚度决定, 通常为 1,5 mm 或 2,28 mm, 且玻璃的厚度由PVB (Polyvinyl Butyral) 的厚度决定。

SGP (Dupond Sentry Glass Plus): 0.89 mm, 1.52 mm 或 2.28 mm, 且

玻璃的厚度: 玻璃的厚度由SGP (Safety Glass Plus) 的厚度决定, 通常为 1,5 mm 或 2,28 mm, 且玻璃的厚度由PVB (Polyvinyl Butyral) 的厚度决定。



KXG anti slip 鋁合金 鋁板 鋁板

