

Gusaling konstruksiyon salamin kurtina pader init mapanimdim salamin insulated salamin, arkitektura tempered solar control malambot na patong salamin double glazing glass para sa harapan



Heat Reflective insulated glass advantages:

1. Mataas na pagkamalikhain para sa privacy at visual na qinhawa.
2. Mga kumbinasyon ng mga solar-control at light-transmission levels, pati na rin ang iba't ibang mga kulay.
3. Maaaring maqing init-qinagamot, nakalamina, nakatungo, o naqproseso.
4. Maaaring maisama sa iba pang produkto ng KXG glass upang makapaqhatid ng custom-tailored energy performance na nakakatugon sa mga partikular na pangangailangan ng rehiyon





Heat reflective glass Insulated glass specification production:

Glass Max size: 2500 mm * 4000 mm Glass Min size: 180 mm * 350 mm

Uri ng salamin na salamin: kulay-abo na mapanimdim na salamin, tanso mapanimdim na salamin, berde mapanimdim na salamin, mababang-e patong na salamin, screen printing, acid etched, atbp.

Glass Thickness (mm): 3 mm -19 mm

Argon o Air space thickness: 6A, 9A, 12A, 16A, atbp.

Spacer Punan: Dry Air, marangal na gas tulad ng Argon, atbp.

Kulay ng salamin: malinaw, napakalinaw, F-green, asul na asul, kulay abo, tanso, ginintuang tanso, atbp.

Packing: standard seaworthy wooden crates



Solar control soft coating double glazing glass applications

Hotel, ospital, shop mall, istasyon ng pulisya, panlabas na kurtina, glass skylight, salamin simboryo, hotel, shopping mall, gymnasium, museo, kurtina pader, harapan, bintana, greenhouse, glass canopy, atbp.

KXG



KXG

