

Export ng Intsik Ang mababang bakal na tempered glass supplier 5 + 5 mm

Ang mababang pattern ng bakal na ceramic na naka-print na curved glass, na gawa sa dalawang piraso ng mababang pattern ng bakal na ceramic [nakalimbag na tempered glass](#) at apat na mga klase sa pelikula ng PVB. Ang paggamit ng mababang baso ng bakal upang makagawa ng baso na may mga ceramicong motif, kulay at pattern ay mukhang mas makatotohanang at mas maliwanag.



Mga Katangian

- Nagbibigay ng higit na seguridad kaysa sa iba pang mga uri ng baso.
- Pinahasay na kontrol ng audio dahil sa kakayahang mag-detonate ng mga tunog ng gitnang layer ng PVB / SGP.
- Salamin ng kaligtasan para sa napiling kapal.
- Nagbibigay ng higit na kaligtasan sa personal pagkatapos ng basag dahil mananatiling buo sa frame.
- Nagbibigay ng mataas na paglaban ng panghihimasok sa mga bagay, epektibong pumipigil sa panghihimasok.

Shape ↻	Curved↻
Processing ↻	Polished edge, Drill holes, Cut notches, Silkscreen, Painted, Frosted, Acid etched, etc.↻
Size ↻	Max:3000*13000mm;Mini:300*300mm;Minimum radius:500mm + Max length of arc 1350mm(R<1200, H<2370) 2400mm(R>1200) 3600mm(R>1200 H<2370)↻
PVB or SGP Color ↻	Clear, Green, Pink, Red, Blue, Bronze, Grey, Milky white ,custom↻
Glass Color ↻	Clear, Extra Clear, French Green, Dark Green, Ford Blue, Dark Blue, Bronze, Euro Grey etc.↻
Glass Type ↻	Bulletproof curved laminated glass, Fireproof curved laminated glass, AR curved laminated glass, Wire curved laminated glass, Common curved laminated glass, curved tempered laminated glass, Coated curved laminated glass, Low-E curved laminated glass, Ceramic Pattern Printed/ Silkscreen curved laminated glass, Metal mesh curved laminated glass, Frosted curved laminated glass, etc.↻
Thickness ↻	5+0.76+5mm, 5+1.52+5mm ,6+0.76+6mm, 8+1.14+8mm, 10+1.52+10mm, etc.↻

Application

- [Windows](#), [Mga Skylights](#) at canopy ng mga puno.
- Mga panlabas na pader at dingding ng kurtina.
- Mga rehas ng salamin, rehas at mga partisyon.

