China KXG balustrade glass factory 19mm tempered glass handrail railing



China manufacturer tempered toughened glass balustrade railing, which is a kind of safety building materials, 19mm toughened glass balustrade also called 19mm tempered glass handrail, 19mm toughened glass railing, 19mm tempered glass fence etc. It available made by 19mm clear tempered glass or 19mm ultra clear tempered glass or 19mm frosted acid etched tempered glass. Excellent quality 19mm tempered glass, high light transmittance, no bubble, no defects, no scratch, perfect to decorative balustrade/ fence/ balcony/ handrail railing.



Characteristic of <u>19mm toughened glass</u>

Max size: 3300*13000mm

Special requirement: drilling holes, polished edge, cutout, logo printing, all can be done as customers'

need.



What's the advantages of **<u>19mm tempered glass</u>** for handrail railing?

1. Safety: 19mm tempered glass_is one of the safety glass, much stronger 4-5 times than 19mm clear float glass. When it is broken by outside, the small part have no harmful for people.

2. Attractive sight: no matter clear or ultra clear or frosted glass, with high light transmittance, the natural light is easy to enter into the rooms, save more light cost and take a health for people. Compare with wooden material, more attractive sight for humans.

3. Customized shape: flat or curved shape are available, do your own design.

4. High precise flatness, easy to install, clean and maintain.



Our Service:

- Production time within 15 days after order is confirmed, some urgent order can apply for finish within 10 days

- All the glass packed in strong export plywood crates with metal belt for safety transportation

- Offer one-stop service from order confirmed to the glass delivery, all can be done perfectly by us

- Any other customer's special requirement can be 100% fulfilled.

-24 hours online to offer the service for you.

-Buy insurance for you freely for making smoothly business.





KXG balustrade glass factory 19mm tempered glass



