


## China factory good price 4mm 4.6mm 5mm 5.5mm 6mm 8mm tempered color tinted glass



### KXG 4mm 4.6mm 5mm 5.5mm 6mm 8mm [tempered tinted glass](#) features

- 1). Perfect color series and color consistency
- 2). High light transmittance.
- 3). Sunlight and ultraviolet radiation absorbing thereby offering heat insulation and energy savings.
- 4). Enhances architectural appearance.
- 5). Used as substrate for various glazed applications.



### [Tinted glass](#) color option series

French Green (Light Green), Dark Green.

BRONZE SERIES: Euro Bronze (Light Bronze), Golden Bronze, Pink

GREY SERIES: Euro Grey (Light Grey), Dark Grey, Black,

BLUE SERIES: Dark Blue, Ford Blue (Lake Blue), Ocean Blue.



Glass Type	Visible Light	Visible Light Ref(%)	Sunlight Trans (%)	Sunlight Ref (%)	SC	Solar Energy Trans (%)
4mm Euro Grey	56.60	7.73	56.20	9.59	0.79	65.03
5mm Euro Grey	48.80	6.59	48.00	7.95	0.73	59.37
6mm Euro Grey	43.98	14.11	43.47	13.20	0.67	54.65
4mm Dark Grey	35.08	6.39	42.45	8.46	0.49	55.12
5mm Dark Grey	27.15	6.12	34.48	7.78	0.62	49.38
6mm Dark Grey	21.33	5.62	28.79	7.04	0.56	45.35
4mm Pink Glass	77.67	9.00	77.63	11.65	0.37	80.40
5mm Pink Glass	74.75	8.78	74.75	11.02	0.90	78.42
6mm Pink Glass	69.88	8.35	70.62	10.40	0.88	75.52
4mm Dark Blue	50.21	6.74	58.17	9.03	0.75	66.63
5mm Dark Blue	42.87	6.71	52.22	8.56	0.70	62.34
6mm Dark Blue	37.21	6.47	46.78	8.11	0.66	58.42
4mm Ford Blue	66.11	8.63	62.80	10.15	0.78	69.78
5mm Ford Blue	62.12	8.12	59.14	9.34	0.76	67.28
6mm Ford Blue	56.98	7.99	53.94	9.14	0.71	63.47
4mm F-Green Glass	79.37	9.37	54.70	9.17	0.72	64.02
5mm F-Green Glass	75.21	8.86	47.40	8.19	0.66	58.86
6mm F-Green Glass	72.53	8.70	42.19	8.02	0.62	55.04



### **Applications of tinted glass:**

1. it can be custom cut into size, then used for window directly.
2. tinted glass, when it processed as **dark bronze color tempered glass**, can be used for window, door, display case.
3. when it processed as bronze laminated glass 4+4mm 5+5mm 6+6mm, can be used for door, façade, balustrade, etc.
4. when it processed as bronze color insulated glass 4+4mm 5+5mm 6+6mm, perfect used for exterior and interior wall.



**KXG 4mm 4.6mm 5mm 5.5mm 6mm 8mm tempered tinted glass**

