Customized size 6+12A+6mm safety tempered insulated glass curtain wall price,24mm glass exterior wall



6+12A+6mm tempered insulated glass curtain wall, we also called 6+12A+6mm tempered hollow glass wall, 6+12A+6mm tempered double glazing glass exterior wall, 6+12A+6mm tempered insulated glass outdoor wall etc. 6+12A+6mm tempered insulated glass wall is consisted of two panels of 6mm tempered glass, separated by an aluminum spacer and sealed together at the edge. Thickness of insulating airspace is 12mm, filled with dry air or a noble gas, such as argon or krypton inside to slow the heat exchange and reduce noise levels.



The benefit of glass curtain wall

- 1.It's a economic building material. **Glass curtain wall** is an outer covering of a building instead of concrete. It will be more lightweight and reducing construction costs.
- 2.It absorbs infrared rays, reduces solar radiation into the room, and reduces indoor temperature. It can reflect the light as a mirror, but also like a glass through the light. In the light of the reflection, the room is not subject to strong light, visual soft. To keep homes warmer in the winter and cooler in the summer.
- 3.It's good looking, creating aesthetic scene to building.
- 4.It's excellent for soundproof, keeping people live and work in a peaceful environment.
- 5.The greatest advantage of the glass curtain wall is that natural light can penetrate deeper within the building.



Specification of 24mm glass curtain wallSingle glass thickness:

6mmAvailable glass type: 6mm clear tempered glass, 6mm ultra clear tempered glass, 6mm clear low E tempered glass, 6mm tinted low E glass, 6mm tinted tempered glass, 6mm reflective tempered glass etc.

Size: Max size: 2500*4000mm, min size: 180*350mm and customized size is available. Available color: clear, ultra clear, grey, blue, bronze, green etc.

Characteristic: heatproof, soundproof, solar control, energy saving, good looking, etc.



Customized for ther Glass combination choice

- 1. 6+12A+6mm clear tempered insulated glass curtain wall
- 2. 6+12A+6mm ultra clear tempered insulated glass curtain wall
- 3. 6+12A+6mm clear low E insulated glass curtain wall
- 4. 6+12A+6mm tinted **low E insulated glass** curtain wall
- 5. 6+12A+6mm reflective insulated glass curtain wall
- 6.Many others...





KXG DGU solar control safety tempered insulated glass packing

