About 10mm clear tempered glass

<u>10mm clear tempered glass</u> (also call 10mm clear toughend glass, 10mm clear full tempered glass) is fabricated by heating annealed glass to over 600°C and cooling it rapidly. 10mm tempered glass is **not easy to be broken when attacked**. Even when glass broken, broken glass particle is of honeycomb shape with obtuse angles which won't cause severe hurt to humen body. It is a **safety glass** which is used when strength, thermal resistance and safety are important considerations.



Characteristics of 10mm clear tempered glass

1. **3-5 times** harder than ordinary float glass

2. Once breakage occurs, the glass disintegrates into **honeycomb shape with obtuse angles**, which are relatively harmless to human body.

3. Thermal stability of tempered glass is three time higher than that of float glass of the same thicness. <u>Tempered glass</u> can withstand sudden temperature shift of **250 to 320°C** while float glass can only withstand shift of 20 to 100°C.

4. Sizes are produced as per customer request.

Feature(性能)	Tempered(钢化)	Heat strengthened(半钢化)	Normal(普通)
Safety(安全性)	best(最好)	general(一般)	none(没有)
Intensity(强度)	150mpa	100~1520mpa	30~90mpa
Themal stabilityre(热稳定性)	250~320°C	100°C	2~100°C
Surface stress(表面应力)	95mpa	24-69mpa	
Broken state(破碎状态)	obtuse-angele grain(纯角颗粒)	shooting broken(放射状破碎)	sharp(锐利)
Self-destruction(自爆)	sometimes(会)	seldom(基本不会)	never(不会)

Compare normal glass with toughened glass 钢化玻璃与普通玻璃比较

Toughened glass broken into small cubical fragments high safety human harmless.

Toughened principle Surface of glass in compression(> 10,000 psi) 钢化玻璃玻璃在压缩面 (> 10000 psi)



Normal glass broken into big and sharp fragments easy hunt human.



The comparison between tempered glass, heart strengthened glass and normal glass 钢化、半钢化与普通玻璃的性能比较(安全性、强度、热稳定性、破碎状态)

Application of tempered glass

- 1. Interior partitions and office enclosures.
- 2. Balustrades and fence.
- 3. Windows, Doors, Exhibition Hall, <u>Shower Room</u> and so on.



Packaging Details

- 1. The four corners of the glass will have **protective corners**.
- 2. Separate each piece of glass with a **cork mat**.
- 3. Suitable for shipping and land transport strong export **plywood crates**.
- 4. Steel belt or another material belt for consolidation

