

## China professional building glass manufacturer 6mm silk screen printed glass for partition wall kitchen splashback

[Silk screen printing glass](#) is the printing of ink onto a glass surface, followed by drying, tempering or thermal processing. Kunxing Glass has many years of production experience. The silk screen glass is permanently sintered on the glass surface to obtain a wear-resistant, acid-resistant decorative glass product. This product is highly functional and decorative. It has many different colors and patterns, such as strips, meshes and patterns. It is also possible to design a pattern according to the different needs of the customer.



The silk screen glass ink is prepared by using an oily solvent and an alkyd resin. The furnace is subjected to the following stages:

1. From room temperature to 120 ° C, preheating, no change in ink;
2. From 120 ° C to 250 ° C, light oil evaporation and gasification;
3. From 250 ° C ~ 500 ° C, heavy oil and resin combustion gasification;
4. From 500 ° C to 580 ° C, the glass powder in the silk screen glass begins to melt, and the surface of the substrate glass is also slightly softened;
5. From 580 ° C to 620 ° C, the glass silk screen glass powder is completely melted. The pigment powder is also melted into it, and the surface of the glass body is also completely softened. The silk screen glass is combined with the glass and then lowered to room temperature.

### Silk-screen printed glass color features

1. Cheaper and easier to install than other materials such as brick, stone or wood.
2. Colors, patterns and choices. In the curtain wall combination it can contrast other glass or color matching.
3. Silk screen glass can be installed on the support structure.

4. It has no absorption, no penetration and easy to clean.
5. The color silk screen glass is an inorganic silk screen glass with the same glass material. It does not fade or peel off, so the original color is consistent with the life of the building.
6. The silk screen glass is easy to accept for non-rigid adhesives used to isolate the back of the arch.
7. The silk screen glass absorbs and reflects part of the solar heat and has energy-saving effects.
8. Can be coated, laminated, synthetic hollow and other composite processing, to obtain special properties for other purposes.
9. After tempering, the final product has good mechanical properties, impact resistance and thermal shock resistance, and higher safety performance.
10. The shading effect is obvious.



## Application

1. Building exterior glass;
2. Building lighting [canopy](#);
3. Interior decoration partition;
4. Gas stove glass countertops, furniture glass, etc.

## Silk Screen printed glass in Vietnam Da Nang Airport



**6mm+12A+6mm Silk Screen printed insulated glass in [Kuwait Foreign Affairs Ministry](#)**

