


## **Export to Australian market 12mm clear tempered heat soak glass, 12mm clear toughened heat soak glass factory in China**

### **12mm clear toughened glass**

12mm clear toughened glass, it is made from 12mm clear float glass by tempering processing as safety glass. 12mm clear float glass put into the tempered equipment. The temperature heating to 650 degree reached glass soft dot and then cooling down rapid.

After this processing, 12mm clear float glass become the 12mm clear tempered toughened glass. It is stronger 4 to 5 times than normal glass.



### **Advantages of 12mm clear tempered glass export to Australia**

Thermal stability of tempered glass is 3 times higher than that of float glass of the same thickness.

Tempered glass can withstand sudden temperature shift of 220-250 degree while float glass can only withstand shift of 70-100 degree.



1. 12mm clear tempered glass, it is stronger 4 to 5 times than 12mm float glass.
2. 12mm clear toughened glass, which is one of the safety glass, even it is broken by outside force, it have no harmful for humans.

3. High light transmittance, anti-UV.
4. Easy to install and clean, long time maintain.



### **Applications of tempered safety glass produce by KXG glass factory**

where falling glass fragments may be unsuitable, such as roof or high rise glass facades, balustrades, screens and high level curtain wall, etc.

12mm clear tempered glass testing, it is widely used for glass door, glass balustrade, glass table top, etc.

HST 12mm tempered glass, when it made as [12+12mm heat soaked laminated glass](#), it will widely used for skylight, balustrade, interior and exterior wall, etc.

12mm heat soaked reinforced glass, when it made as 12+12mm heat soaked insulated glass, it will widely used for window, curtain wall, skylight, high-rise office buildings.

### **Other Chosse**

[Kunxing glass factory](#) also produce 6mm tempered glass, 6mm curved tempered glass, 8mm tempered glass, 8mm curved tempered glass, 10mm tempered glass, 10mm curved tempered glass, 12mm extra clear tempered glass, 15mm tempered glass

### **Export to Australia 12mm clear toughened glass loading on KXG glass factory**

Kunxing Glass produce many 10mm clear toughened balustrades glass export to Alstralia. KXG also produce many [10mm curved toughened glass](#) used for balustrades.

12mm clear tempered glass loading 12mm clear tempered glass loading



XING GLASS.



UACU 857283 8  
42G1

MAX.GROSS 30 480 KGS  
67 200 LBS

TARE 3 600 KGS  
7 940 LBS

NET 26 880 KGS  
59 260 LBS

CU. CAP. 67.7 CU M  
2 390 CU FT

CMC