


Good quality 12mm clear toughened tempered heat soaked glass, [China professional heat soaked glass factory](#)

12mm clear toughened heat soaked glass

[12mm clear toughened glass](#), it is made from 12mm clear glass via a thermal tempering processing as safety glass. Due to tempered glass have possibility for self-explosion, to minimize the risk of spontaneous tempered glass breakage due to nickel sulphide inclusions within the glass installed in a building, the heat soak tested glass is come into being.



Heat soak tested, HST, which is also called hot-dipping test or igniting test, refers to the method of re-heat-treatment after armoring, it is a method to avoid self-explosion effectively, which is a pane of toughened glass is subjected to temperatures of 280° for several hours over a specific temperature gradient, to induce fracture.



The features of 12mm heat soaked tested glass

- 1)Max size in 5400*2300mm, any customized size can be well done meet your requested.
- 2)Glass color: except of clear, others available in ultra clear, green, blue, bronze, etc.
- 3)Glass type: except for 12mm clear float glass, others available in 12mm ultra clear glass, 12mm bronze glass, 12mm gray glass, 12mm blue glass, 12mm green glass, 12mm acid etched glass, etc.
- 4)Glass shape: flat 12mm heat soaked glass or curved 12mm heat soaked glass are available.
- 5)Special processing, like flat polished edge, beveled edge, round safety corner, drill holes, ..., all need to be finished before tempering. Holes finished by your CAD draft, logo printing also can be finished by AI file, etc.



[KXG](#) Plywood Crate Packing

