

KXGLASS Good quality high transmittance offline soft coating low E glass China glass factory double glazed glass skylight facade

Skylight glass

[Skylight glass](#) also named roofing glass, sunroof glass and canopy glass etc. Glass roof as a new popular building material whatever in residence or commercial.



Using the glass for skylight in one hand, it makes the light come through the indoors fully, on the other hand, compare with concrete, glass material is less weight and makes the building more attractive.

Specification of solar control sunroof glass

Glass type: tempered laminated glass, tempered [insulated glass](#), tempered laminated insulated glass.

Thickness: 5+5mm, 6+6mm, 8+8mm, 10+10mm 12+12mm etc.

Max size: 3000*13000mm. Custom cut size is accepted.

Shape: flat or curved.

Color: ultra-clear, gray, gold, silver, clear, bronze, blue, green, etc.

Characteristic: heat reflective, energy saving, solar control, etc.



What are the advantages of low e skylight glass?

1. Glass cladding in building fulfill functional requirement of lighting, heat retention and energy saving.
2. Creating a light well by using glass in the roof is a popular way of introducing light to central areas of a building.
3. Glass is bad conductor of heat; it saves energy in air conditioning of building.
4. Use of glass in construction work adds beauty to the building. Glass is an excellent material for thermal insulation, water proofing and energy conservation.

Skylight glass package in KXG

