

Tempered silk screen printing glass manufacturer,ceramic frit color painted [tempered glass](#) factory



DESCRIPTION

Silkscreen printing glass is custom screen pattern by customer's. Printing on the surface of glass can be bonded to the glass frit to form a colorful decorative patterns. After printing, make the furnace to a temperature of 520 ~ 600 °C and heat the glass to fix glass pigment and [toughened glass](#). If polishing, engraving, etching and other methods before printing or printing on the glass surface after processing, can be doubly improved printing results.



Prouct	Silk Screen Printing Glass
Thickness	3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm.
Sizes	Min: 180mmx350mm, Max: 3300mmx12000mm Customized size is welcome.
Clor	Red, white green, blue, gray, bronze etc.

Features	<ul style="list-style-type: none"> • Safety: produced in high temperature, harder than normal annealed glass. • Fastness painting: toughened glass process to make pattern color extremely resistant. • Customized Design: any pattern size, logo placement, or full size printing, only need to provide CAD drawings. • High pixel: High pixel that highest close to pantone & RAL colors.
Processing	Beveling, cutting, drilling, pinting etc.
Applications	Facades and curtain walls, skylights, railings, escalators, windows and doors, shower enclosures, Partition, etc.
Certifications	CE, ISO, CCC, BS6202



FEATURES

- 1) Fire-fused permanently to the glass surface
- 2) Effects palette and extensive color
- 3) Countless shades and infinite levels of opacity
- 4) Perfect for producing glass panels of consecutive designs
- 5) From digital file to glass directly
- 6) Competitive price with [silkscreen printed glass](#)
- 7) Now the only limitation is your imagination, no limitation of colors and image

