


8 mm ESG, **8 mm toughened**, **8 mm**

[illegible]

8 mm

- [illegible]




1. 鋼板厚さ mm 8 鋼板幅 mm 8 鋼板 4-5 枚
2. 鋼板厚さ mm 8 鋼板幅 mm 8 鋼板 4-5 枚

3. 鋼材、鋁材、銅材、不銹鋼材、其他金屬材料、CCC、EN12150、BS6206、鋼材、

4. cutout,

Toughened principle Surface of glass in compression ($> 10,000$ psi)
钢化玻璃玻璃在压缩面 (> 10000 psi)



Compare normal glass with toughened glass 钢化玻璃与普通玻璃比较

Toughened glass broken into small cubical fragments high safety human harmless.



Normal glass broken into big and sharp fragments easy hunt human.



The comparison between tempered glass, heart strengthened glass and normal glass 钢化、半钢化与普通玻璃的性能比较（安全性、强度、热稳定性、破碎状态）

□□□□□□□□ 8 □□□□□□□□ mm □□

8 mm 鋼板 8 mm 鋼板 toughened, 8 mm 鋼板 8 8 mm 鋼板, 883 884 鋼板 28 mm 32 mm 鋼板:

1.

2. 0000000000, 0000000000, 0000 splashback, 0000000000, 000

• • • • •

