

XXXXXXXXXXXXXXXXXXXX 8 00. XXXXXXXXXXXXXXX 8 00. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
**KXG**

00000000.000  
00  
00

[illegible]

1. 630 ° C -
- 2.
- 3.
- 4.
- 5.
- 6.

[illegible][illegible][illegible]

00  
 00  
 00000000000000000000 - 00

The diagram illustrates memory allocation across two rows of slots. The top row contains 20 slots, where the first 18 are filled with black rectangles and the final 2 slots are highlighted with blue borders. The bottom row consists of 18 black-filled slots followed by 2 empty white slots.



ข้อควรระวัง:

Considering ข้อควรระวัง 6ข้อควรระวังในการใช้งานเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้า 1. ควรตรวจสอบสภาพเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้าก่อนใช้งานทุกครั้ง 2. ควรตรวจสอบสภาพสายไฟฟ้าที่ใช้เชื่อมต่อเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้าทุกครั้ง 3. ควรตรวจสอบสภาพสายดินที่ใช้เชื่อมต่อเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้าทุกครั้ง 4. ควรตรวจสอบสภาพสายสัญญาณที่ใช้เชื่อมต่อเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้าทุกครั้ง 5. ควรตรวจสอบสภาพสายควบคุมที่ใช้เชื่อมต่อเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้าทุกครั้ง 6. ควรตรวจสอบสภาพสายสื่อสารที่ใช้เชื่อมต่อเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้าทุกครั้ง

8mm ข้อควรระวังในการใช้งานเครื่องจักรกลการเกษตรที่ใช้พลังงานไฟฟ้า





