


Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation. They consist of two or more glass panes held together by a spacer and sealed with a gas or air.

Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation.

Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation. They consist of two or more glass panes held together by a spacer and sealed with a gas or air. The spacer is typically made of aluminum or stainless steel and is filled with a gas or air. The sealant is typically made of butyl or polysulfone. IGUs are used in a wide range of applications, from residential windows to commercial buildings and automotive windows.



Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation.

1. Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation. They consist of two or more glass panes held together by a spacer and sealed with a gas or air. The spacer is typically made of aluminum or stainless steel and is filled with a gas or air. The sealant is typically made of butyl or polysulfone. IGUs are used in a wide range of applications, from residential windows to commercial buildings and automotive windows.
2. Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation. They consist of two or more glass panes held together by a spacer and sealed with a gas or air. The spacer is typically made of aluminum or stainless steel and is filled with a gas or air. The sealant is typically made of butyl or polysulfone. IGUs are used in a wide range of applications, from residential windows to commercial buildings and automotive windows.
3. Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation. They consist of two or more glass panes held together by a spacer and sealed with a gas or air. The spacer is typically made of aluminum or stainless steel and is filled with a gas or air. The sealant is typically made of butyl or polysulfone. IGUs are used in a wide range of applications, from residential windows to commercial buildings and automotive windows.
4. Insulating glass units (IGUs) are used in windows, doors, and skylights to provide thermal and acoustic insulation. They consist of two or more glass panes held together by a spacer and sealed with a gas or air. The spacer is typically made of aluminum or stainless steel and is filled with a gas or air. The sealant is typically made of butyl or polysulfone. IGUs are used in a wide range of applications, from residential windows to commercial buildings and automotive windows.

