□□□□□□□□□□□□□□□□□□□□ [□□□□□□□□□□□□□□ 12 □□](#) , □□□□□□□□ CE 12mm □□□□□□□□□□□□□□□□□□□

□□□□□□□□ Toughened Glass

□□□□ Toughened □□□ 600 ° C □□□ □□ □□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□ 3-5 □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 95Mpa

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □ □□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 250 □□□ 320 ℃□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 2 0 □□□ 100 ℃

[illegible]

[illegible] 12mm [illegible]: [illegible] 3000 * 8000 [illegible]. [illegible] 150 * 300 [illegible]

[illegible] toughened [illegible] 12 [illegible]. [illegible] beveling, cutting, drilling [illegible]

[illegible]

[illegible]

[illegible] [illegible] [illegible] 12 [illegible]. [illegible] ([illegible] T), [illegible] ([illegible] C), [illegible] beveled, [illegible] ogee, [illegible], [illegible]

[illegible]

[illegible] ([illegible]) [illegible] [illegible]

[illegible]

[illegible]

[illegible] 12 [illegible]. [illegible] toughened [illegible] kunxing [illegible] 12mm [illegible] toughened [illegible] [illegible]

[illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

KXG 12mm [illegible] [illegible] [illegible]



JINGLA