

## 6 mm + 12A + 6 mm Safi Imejaa Mara mbili Kuunganisha Vitengo vya Vioo vya China Kiwanda



### **Takribani 6 mm + 12A + 6 mm Kioo kilichosababishwa kioo kilichosababishwa (Kioo au Double glazing glasi)**

6 mm + 12A + 6 mm wazi kitengo cha kioo kilichosafirishwa kilicho na kioo kiwilil 6 mm wazi kioo hasira iliyojitenga na spacer ya alumini na kuhuriwa pamoja kwa makali. Anga ya kuhami inajaa hewa kavu au gesi yenye heshima, kama vile argon au kryptoni ndani ya kupunguza kasi ya kubadilishana joto na kupunguza kiwango cha kelele. Sehemu ya alumini imejaa desiccant kuhakikisha kuondolewa kwa unyevu yoyote katika air. IGU imeundwa kutunza nyumba za joto katika baridi na baridi katika su mm er.



## 6 mm + 12A + 6 mm Clear Glass Insulated Glass Tabia


### A Solution for Solving the Solar Heat Gain Coefficient Dilemma

The solar heat gain coefficient (SHGC) is a number that represents the fraction of solar radiation admitted through a window, both transmitted and absorbed, and subsequently released inward. The lower a window's solar heat gain coefficient, the less solar heat it transmits, which therefore leads to greater shading ability. Climates that rely heavily on air conditioning will benefit from a window product that displays a lower SHGC. As shown, the Solarban 60 unit will outperform the standard clear unit by as much as 49%.


### Summer Solar Heat



Standard clear unit  
Conventional aluminum spacer  
Air Fill  
SHGC - 0.75



Solarban 60 unit  
Intercept spacer  
Argon Gas Fill  
SHGC - 0.38



### 1. Optical Utendaji


Mfumo wa kioo wa 6 mm + 12A + 6 mm wazi unao juu sana utoaji wa mwanga wa wazi, na kutafakari kwa mwanga usioonekana;

### 2. Thermal Utendaji (Ushahidi wa joto)

Thamani ya U hupunguzwa kwa vitengo viwili vya glazing na inaweza kupunguzwa zaidi kwa kujaza gesi za inert kama gesi ya argon;

### 3.Sound ushahidi

Kioo kilichosafirishwa kina kazi nzuri ya ushahidi, inaweza kupunguza kelele kwa dB zaidi ya 30;



### 6 mm + 12A + 6 mm Clear Glass Insulated Glass Maombi

- Nje UPVC Windows na milango;
- Nje ya mashimo na kuta za pazia;
- Ugavi wa ndani na Freezer;
- Anga na Jenereta
- wengine wengi.

**6 mm + 12A + 6 mm wazi kuguswa mara mbili glazing kioo ghala**



**Mstari wa mabomba ya Kiwanda cha KXG huzalisha 6 + 12A + 6 kioo kilichosababishwa na hasira mbili**



Ufungaji wa kioo 6 + 12A + 6 kilichosababishwa kioo

