


Ubora bora upinzani wa joto 6 mm + 12A + 6 mm Kioo cha Kuingiza chini-E kwa skylight

Kioo cha chini-E-kuhami-joto, ni chini uboreshaji glasi coated pia jina lake chini e glasi mbili ya glasi, glasi ya chini ya IGU, Kioo cha chini cha D DUU, Nakadhalika. Imetengenezwa na mbili au zaidi usalama hasira ya glasi au shuka glasi za kuelea na paneli moja au zaidi yao na mipako ya Low E ili kuokoa nishati.



Sifa za Utendaji:

1. Ficha chini E kulingana na paramu yako;
- Thamani ya 2. Low U (Thamani ya K) na SC;
3. rangi tofauti zinazopatikana;
4. Strong soundproof;
5. Kuwa joto au baridi, mazungumzo ya nishati.



Maelezo:

Aina ya glasi: glasi ya chini ya maboksi

Rangi inayopatikana: Wazi, bluu, kijani, kijivu, shaba, nk

Co mm ya muundo: 5 + 9A + 5, 6 + 6A + 6, 6 + 12A + 6, 8 + 12A + 8, 10 + 12A + 10 (muundo wowote wa glasi unaweza kuzalishwa)



Uingiliaji:

Inatumika vizuri katika skylight, ukuta wa pazia, sakafu, nk.

