

## **Kujenga kioo kiwanda high quality gorofa na curved miundo facade maboksi pazia kioo ukuta**

### **Je! Ni ukuta wa kioo kioo gani?**

Ukuta wote wa kioo pazia ni uwazi kamili, kamili-kuona kioo pazia ukuta. Kutumia uwazi wa kioo, kwa sababu ya mzunguko na ushirikiano wa nafasi ndani na nje ya jengo, huwasaidia watu kuona mfumo wa miundo mzima wa glasi kupitia kioo, na kufanya mfumo wa miundo kutoka kwa msaada rahisi kwa utendaji wa kuonekana kwake, inaonyesha ujuzi, layered na hisia tatu-dimensional ya mapambo ya usanifu.

Ina sifa za uzito wa mwanga, uteuzi rahisi wa vifaa, kiwanda cha usindikaji, ujenzi wa haraka, matengenezo na ukarabati rahisi, na kusafisha rahisi.



### **Faida za KXG kioo kioo kioo ukuta:**


Uchaguzi tofauti: kama sisi wote tunajua kioo kioo kioo na kioo tofauti kuendana katika kioo moja, hivyo kwa kazi tofauti, sisi kusaidia mteja tofauti kwa desturi zao tofauti.

Ubora wa juu: tunatumia kioo cha juu cha juu na kioo cha juu kinachozunguka kwa ukuta wa pazia, hakikisha kioo kioo cha ukuta chenye kioo kikamilifu kiweke kwa mikono yetu ya mteja.

Msaada wa vyeti: Kwa soko la Ulaya, tunafanya vyeti vya CE kwa biashara, kwa soko la Marekani, tunafanya vyeti vya SGCC kwa biashara zaidi.

Best sillicion sealant maker: Dow Corning®

Best quality & high performace low-e coating




Hermetically double sealed



Sufficient thickness  $\geq 9\text{mm}$





Neat sealant work




Aluminum sapcer bar  
Warm edge space bar  
Stainless steel space bar




# Multiple combinations




Standard 4mm glass offers little resistance to heat loss  
U-Value 5.9 (insulation)



Insulated glass unit reduce heat loss by up to 56%  
U-Value 2.7 (insulation)



Standard 4mm clear glass offers little resistance to heat gain  
SHGC 0.84 (solar impact)



Insulated glass unit using tinted glass can reduce heat gain by 27% (solar impact)

## KXG Kioo cha kioo cha ukuta kioo:

Udhibiti wa jua: Inasaidia kuweka chumba cha joto katika majira ya baridi wakati unapokuwa baridi katika su mm er.

2. Glass Chaguo: kama kioo wazi ya pazia kioo, kioo tinted ukuta kioo, kioo kutafakari kioo ukuta, kioo silkscreen kioo ukuta, ultra wazi pazia ukuta kioo nk

3. Uthibitisho mkubwa: kioo kilichochochewa kinaweza kupunguza sauti za sauti

4. Kuhakikishia: Gesi imefungwa katika kioo ni mpangilio mkali wa joto ambao unaweza kupunguza joto la joto la ansi.

# Parameters Table

NO.	Tinted/Reflective Glass Color	Product Name	Visible			Solar		U values		Shading Coefficient (SC)
			Visible Trans (%)	Visible Reflect(%)		Solar Trans (%)	Solar Reflect (%)	Winter Nighttime W/m <sup>2</sup> K	Summer Daytime W/m <sup>2</sup> K	
				Indoor	Outdoor					
1	light green tinted	6mmFL	75	11	6	46	7	5.81	5.24	0.69
2	light green reflective	6mmFLM	25	34	26	35	19	5.84	5.27	0.40
3	dark green tinted	6mmZRL	65	6	11	54	5	5.24	5.12	0.76
4	green reflective	6mmZRLM	25	25	24	40	23	5.81	5.24	0.44
5	light green reflective	6mmFC	68	11	9	47	11	3.70	3.60	0.54
6	blue tinted	6mmFTL	55	12	7	47	6	6.10	5.80	0.71
7	blue reflective	6mmFTLM	20	21	21	37	20	5.80	5.24	0.42
8	dark blue tinted	5mmBSL	48	11	6	47	6	5.90	5.60	0.68
9	dark blue reflective	5mmBSLM	25	23	13	43	18	5.84	5.27	0.59
10	blue tinted	6mmHYL	56	11	6	54	7	5.98	5.40	0.63
11	blue reflective	6mmHYLM	24	17	16	24	17	5.80	5.24	0.48
12	light blue tinted	5mmSJL	75	12	7	59	7	6.94	6.72	0.76
13	light blue reflective	6mmSY	68	9	6	52	10	4.10	4.00	0.68
14	light grey tinted	6mmLH	64	6	6	57	6	5.81	5.24	0.79
15	grey tinted	6mmEH	45	5	5	43	5	5.81	5.24	0.69
16	dark grey tinted	6mmLXH	44	6	6	42	6	5.98	5.24	0.68
17	dark grey reflective	6mmLXHM	20	14	12	27	13	5.81	5.24	0.47
18	brown tinted	6mmHC	44	5	5	43	5	5.81	5.24	0.68
19	brown reflective	6mmHCM	22	14	44	32	10	5.81	5.24	0.57
20	brown tinted	6mmJC	36	6	6	35	7	5.81	5.24	0.58
21	brown reflective	6mmJCM	21	16	45	30	12	5.81	5.24	0.48
22	golden reflective	6mm24K gold	22	33	50	29	32	5.47	5.22	0.46
23	golden reflective	6mm18K gold	37	35	29	45	34	5.22	4.62	0.52
24	dark black tinted	5mmDB	5	32	28	5	28	5.98	5.24	31.50
25	silver gray reflective	6mm5Y	50	22	18	45	15	5.46	4.87	0.65
26	silvery reflective	6mmYBM	45	38	36	52	28	5.80	5.24	0.64
27	clear	6mmC	89	7	6	81	7	5.81	5.24	0.98
28	super clear	6mmCH	91	8	7	89	8	5.81	5.25	1.04
29	Silver mirror	6mm	0	83	2	0	83	/	/	/
30	High transparency	6mmPG	81	11	6	65	11	3.70	3.50	0.79

Tips: Please contact with our sales before purchase to confirm whether we have stock at present.



**Mtindo wa kiundo**

Hifadhi ya siri

Kisima cha siri  
Fomu iliyoonyeshwa  
Hali ya Dot  
Aina zote za glasi

