

## Xuất khẩu trung quốc Nhà cung cấp kính cường lực thấp 5 + 5 mm

Mô hình gồm sắt thấp in kính cong, làm bằng hai mảnh hoa văn gồm sắt thấp [kính cường lực in](#) và bốn lớp phim PVB. Việc sử dụng kính sắt thấp để làm kính với các họa tiết, màu sắc và hoa văn gồm trông thật hơn và sáng hơn.



### Nét đặc trưng

- Cung cấp bảo mật hơn so với các loại kính khác.
- Cải thiện kiểm soát âm thanh do khả năng kích nổ âm thanh của lớp giữa PVB / SGP.
- Kính an toàn cho độ dày đã chọn.
- Cung cấp sự an toàn cá nhân lớn hơn sau khi bị hỏng vì nó vẫn còn nguyên vẹn trên khung.
- Cung cấp khả năng chống xâm nhập cao của các đối tượng, ngăn chặn hiệu quả sự xâm nhập.

<b>Shape</b> ↵	Curved↵
<b>Processing</b> ↵	Polished edge, Drill holes, Cut notches, Silkscreen, Painted, Frosted, Acid etched, etc.↵
<b>Size</b> ↵	Max:3000*13000mm;Mini:300*300mm;Minimum radius:500mm + Max length of arc 1350mm(R<1200, H<2370) 2400mm(R>1200) 3600mm(R>1200 H<2370)↵
<b>PVB or SGP Color</b> ↵	Clear, Green, Pink, Red, Blue, Bronze, Grey, Milky white ,custom↵
<b>Glass Color</b> ↵	Clear, Extra Clear, French Green, Dark Green, Ford Blue, Dark Blue, Bronze, Euro Grey etc.↵
<b>Glass Type</b> ↵	Bulletproof curved laminated glass, Fireproof curved laminated glass, AR curved laminated glass, Wire curved laminated glass, Common curved laminated glass, curved tempered laminated glass, Coated curved laminated glass, Low-E curved laminated glass, Ceramic Pattern Printed/ Silkscreen curved laminated glass, Metal mesh curved laminated glass, Frosted curved laminated glass, etc.↵
<b>Thickness</b> ↵	5+0.76+5mm, 5+1.52+5mm ,6+0.76+6mm, 8+1.14+8mm, 10+1.52+10mm, etc.↵

## Ứng dụng

- [các cửa sổ](#), [Cửa sổ trần nhà](#) và tán cây.
- Tường ngoài và tường rèm.
- Lan can kính, lan can và vách ngăn.

